

Hot-selling active optical modules RoHS compliant

QDD-400G-VR4 The Cisco's QDD-400G-VR4 Module (Figure 5) is a hot pluggable optical transceiver compliant with 400G Ethernet. The optical interface supports bit rates of 53.125 GBaud ...

Hot Selling 3 SMD 2835 Optical Module Light Backlight LED Module with CE RoHS Samsung Backlight LED Module Sign

RTXM500-410 400G QSFP-DD FR4 transceiver modules are designed for use in 400 Gigabit Ethernet links on up to 2km of single mode fiber. They are compliant with the QSFP-DD MSA, IEEE 802.3cu ...

We design and manufacture a full portfolio from POF transceivers to 25G SFP+/DWDM modules, including plug-and-play compatible replacements for AVAGO/Broadcom HFBR series.

800G optical transceivers are a new generation of high-speed optical transceivers.

Features Compliant with ITU-T G.957,G.958 Multi-Source Package with Duplex LC Connector Up to 155Mb/s Data Rate 1310nm FP Single-Mode Single +3.3V Power Supply Hot-Pluggable Eye Safety ...

800G OSFP Optical Modules for High-Speed Ethernet Links Designed for 800Gb/s data rate links, these OSFP optical modules support 106.25Gb/s per channel with low power ...

ROHS (Restriction of Hazardous Substances) compliant LCD display modules are engineered to meet strict environmental and safety standards while delivering high-performance visual output.

SFP+ module can be plugged directly into HP's routers or switches and is hot-swappable making upgrades and replacements seamless by minimizing network disruptions

Optical Fiber Transceiver Modules has duplex LC receptacle optical interface, single +3.3V power supply, hot-pluggable QSFP28 MSA form factor, 4x25G Electrical ...

RoHS/REACH compliant. 1.6T OSFP Linear Receive 2 × SR4 Optical Transceiver / AOC. Features. OSFP MSA compliant. Hot-pluggable OSFP form factor. Eight-channels full-duplex transceiver ...

To use the less than or greater than function, please select a value first. Pricing (USD) Filter the results in the table by unit price based on your quantity. A tariff of 25% may be applied if shipping to the ...

It supports transmission over OM4 fiber up to 50 meters and is compliant with OSFP MSA 5.0 and other

Hot-selling active optical modules RoHS compliant

standards. The power consumption is $\leq 16\text{W}$. This module is designed for use in 800G/400G Ethernet ...

Web: <https://busydoniemiecwaldii.pl>